



BOMAPELL

BOMAPELL SURFOLEN DEG

The high-boiling nature solvent
that doesn't require storage in dedicated areas.



BOMATECH

KEYFEATURES

ACTION

Degreasing

ADVANTAGES

It doesn't require dedicated storage areas due to its high-boiling nature

Sustainability

Greater safety

100% maximum concentration

Same effectiveness

USAGE INSTRUCTIONS

BOMAPELL SURFOLEN DEG is recommended for fat extraction from hides, especially for **pickle and wet-blue tanning**.



ZDHC MRSL LIV.1 V3.1

BOMATECH

BOMAPELL

100% SOLVENT DEGREASER FOR WET-BLUE AND PICKLE TANNING WITH A HIGH-BOILING NATURE

The **BOMATECH** research division presents **SURFOLEN DEG**, a degreasing product with 100% concentration and high-boiling nature, allowing it to withstand temperatures above 75 degrees, making it non-flammable and therefore not requiring storage in dedicated areas.

Developed for the storage needs of the nautical sector, particularly for the cleaning of constantly traveling container ships, it is now adapted to the needs of the tanning industry and retains its effectiveness for use as a fat extractor, especially recommended for **WET-BLUE and PICKLE tanning**.



BOMATECH

BOMAPELL

CERTIFIED PRODUCT ZDHC MRSL LEVEL 1 V3.1

BOMAPELL SURFOLEN DEG is a product certified with **ZDHC MRSL level 1 v3.1**, which attests to the company's commitment to sustainable chemical management and ensures that their production processes comply with international regulations and minimize the use of hazardous substances.

BOMAPELL  **ZDHC**
ZDHC MRSL v3.1 Level 1

VIA CONSOLAZIONE N.64 83029 SOLOFRA (AV)
PI: 00271290645
TEL: 0039 0825532381 FAX: 00390825583329
E-MAIL: info@bomapell.com

SURFOLEN DEG



PERICOLO

H319 Provoca grave irritazione oculare.
H304 Può essere letale in caso di ingestione e di penetrazione nelle vie respiratorie.
P264 Lavare accuratamente ... Dopo l'uso.
P280 Indossare guanti/indumenti protettivi/Proteggere gli occhi/il viso.
P301+P310 IN CASO DI INGESTIONE: contattare immediatamente un CENTRO ANTIVELENI/un medico/...
P331 NON provocare il vomito.
P337+P313 Se l'irritazione degli occhi persiste, consultare un medico.
P405 Conservare sotto chiave.
P501 Smaltire il prodotto/recipiente in conformità alla regolamentazione.
EUH066 L'esposizione ripetuta può causare secchezza e screpolature della pelle.
Contiene IDROCARBURI, ClO-C13, N-ALCANI, ISOALCANI, CICLICI, <2% AROMATICI

LOTTO: B0012024

PESO NETTO: 120 KG

PESO LORDO: 125 KG



BOMAPELL



**REQUEST
A FREE TEST**

BOMATECH